## NOTES:

1. SUBSTRATE:

GRADE A FINE ANNEALED SCHOTT: N-SF11 785/258

2. ROHS COMPLIANT

3. CENTERING TOLERANCE (AT 587.6nm): BEAM DEVIATION (HALF ANGLE): <3 ARCMIN

4. COATING (APPLY ACROSS COATING APERTURE)

S1 & S2: VIS-NIR R(ABS) ≤ 0.25% AT 880nm @ 0° AOI R(AVG) ≤ 1.25% FROM 400-870nm @ 0° AOI R(AVG) ≤ 1.25% FROM 890-1000nm @ 0° AOI





6. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS APPLY ACROSS CLEAR APERTURE

7. FOCAL LENGTH (EFL): 9.00mm ±1% BACK FOCAL LENGTH (BFL): 7.32mm

8. PROTECTIVE BEVEL AS NEEDED

9. DESIGN WAVELENGTH: 587.6nm





**SECTION A-A** 

## FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

|                         | \$1        | \$2        |  |  |  |  |
|-------------------------|------------|------------|--|--|--|--|
| SHAPE                   | CONVEX     | PLANO      |  |  |  |  |
| RADIUS                  | 7.06       | INFINITY   |  |  |  |  |
| SURFACE QUALITY         | 40 - 20    | 40 - 20    |  |  |  |  |
| MIN CLEAR APERTURE      | Ø8.10      | Ø8.10      |  |  |  |  |
| MIN COATING APERTURE    | Ø 8.00     | Ø8.00      |  |  |  |  |
| POWER AT 632.8nm        | 3.00 RINGS | 3.00 RINGS |  |  |  |  |
| IRREGULARITY AT 632.8nm | 0.50 RINGS | 0.50 RINGS |  |  |  |  |

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

|                        |    | <b>Edmund Optics</b> ® |   |                 |
|------------------------|----|------------------------|---|-----------------|
| THIRD ANG<br>PROJECTIO |    | TITLE                  | 9.0mm Dia. x 9.0mm FL, VIS-NIR Coated,<br>Plano-Convex Lens |                 |
| ALL DIMS IN            | mm | DWG NO                 | 45474   | SHEET<br>1 OF 1 |