NOTES:

1. SUBSTRATE

FUSED SILICA

2. SURFACE S2 TO BE PARALLEL WITH S1 WITHIN < 3 ARCMIN

3. COATING (APPLY ACROSS CLEAR APERTURE) S1: Laser Mirror (532nm) R(ABS) >99.8% @ 532nm @ 0-45° AOI


> DAMAGE THRESHOLD, PULSED: 10 J/cm² @ 532nm, 20ns, 20Hz

S2: NONE

4. FINE GROUND SURFACE

5. POWER, IRREGULARITY, SURFACE QUALITY, AND COATING SPECIFICATIONS APPLY ACROSS CLEAR APERTURE

6. ROHS COMPLIANT



- 6.00±0.20

FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

SHAPE	S1 PLANO	S2 PLANO	-		B	Edmund Optics	S®
SURFACE FLATNESS	λ/10	N/A		1		Ø12.5mm, 532nm, 0 - 45°, ND:YAG LASER	
SURFACE QUALITY	10-5	FINE GROUND	THIRD ANGLE		TITLE	MIRROR	
CLEAR APERTURE	Ø11.25	N/A]ı	I			CUEET
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN	mm	DWG NO	88529	Sheet 1 of 1