NOTES:

SUBSTRATE

Sapphire (Al2O3) Axis Orientation: Random


2. COATING (APPLY ACROSS CLEAR APERTURE) \$1 & \$2: NONE

3. SURFACE \$2 TO BE PARALLEL TO SURFACE \$1 TO WITHIN ≤3.5 ARCMIN



FINE GRIND SURFACE

Rohs Compliant



FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

SHAPE	\$1 PLANO	\$2 PLANO				Edmund Optic	S®
SURFACE QUALITY SURFACE FLATNESS	80 - 50 2\(\text{(typical)}\)	80 - 50 2λ (typical)	THIRD ANGLE PROJECTION		TITLE	9.5mm Dia., 0.5mm Thick, Uncoated, Sapphire Window	
CLEAR APERTURE	Ø8.55	Ø8.55		Т -		· ·	
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	ALL DIMS IN	mm	DWG NO	43629	SHEET 1 OF 1