NOTES:

- 1. SUBSTRATE MATERIAL: N-SF11
- 2. COATING (APPLY ACROSS CLEAR APERTURE)


S1 & S2: NONE



FINE GROUND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICAIONS APPLY ACROSS CLEAR APERTURE
- 5. Rohs Compliant





SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

| REV. A | \$1 | S2 | | | | | |
|------------------|---------------------|---------------------|------------------------|-------|----------------|---|-----------------|
| SHAPE | CONVEX | PLANO | EFL | -20 | | Edmund Ontice | |
| RADIUS | -15.69 | ∞ | BFL | -21.4 | Edmund Optics® | | |
| SURFACE QUALITY | 60-40 | 60-40 | THIRD ANGLE PROJECTION | | TITLE | 12.5mm H X 25mm L X -20mm FL UNCOATED, CYLINDER LENS | |
| CLEAR APERTURE | 11.50 X 24.00 | 11.50 X 24.00 | | | | | |
| COATING APERTURE | 11.50 X 24.00 | 11.50 X 24.00 | | | | | |
| BEVEL | PROTECTED AS NEEDED | PROTECTED AS NEEDED | ALL DIMS IN | mm | DWG NO | 68054 | SHEET 1 OF 1 |